Name	Lab Partner	
TA Name	Section	Date

# Moles, Mass, and Volume Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

# Data Table A: Popcorn Kernels Counted in 30 Seconds

Trial #	1	2	3	4	Average
# of kernels counted in 30 s					

## Data Table B: Mass of Popcorn and Marbles

Mass of empty beaker	g
Mass of beaker and 12 popcorn kernels	g
Mass of 12 popcorn kernels	g
Mass of one popcorn kernels	g/kernel
Mass of beaker and 12 marbles	g
Mass of 12 marbles	g
Mass of one marble	g/kernel

Mass of 50 mL graduated cylinder	g
Volume of water	mL
Mass of cylinder and water	g
Mass of water	g
Density of water (mass/volume)	g/mL
Initial volume of water in 100 mL graduated cylinder	mL
Volume of water and 12 marbles in cylinder	mL
Volume of 12 marbles	mL
Mass of 12 marbles (From Part B)	g
Density of the marbles (mass/volume)	g/mL

Data Table C: Volumes of Water and Marbles

Name	Lab Partner		
TA Name	Section	Date	

# **Emission and Absorption Worksheet**

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

Data Tabl	e A:	Flame	tests	results	of	known	and	unknown	$\operatorname{salt}$	solutions
-----------	------	-------	-------	---------	----	-------	-----	---------	-----------------------	-----------

Compound	Color of Flame	Ion Responsible for Flame Color
calcium chloride, $CaCl_2$		
calcium nitrate, $Ca(NO_3)_2$		
$copper(II)$ chloride, $CuCl_2$		
copper(II) nitrate, $Cu(NO_3)_2$		
potassium chloride, KCl		
potassium nitrate, $KNO_3$		
sodium chloride, NaCl		
sodium nitrate, NaNO <sub>3</sub>		
strontium chloride, $SrCl_2$		
strontium nitrate, $Sr(NO_3)_2$		
unknown#		
unknown#		

Question 1: Which ion emitted the higher energy photons in the visible region:  $Cu^{2+}$  or  $Sr^{2+}$ ?

Question 2: Which ion emitted photons with the longer wavelength in the visible region:  $K^+$  or  $Na^+$ ?

Question 3: Which ion emitted the lower frequency photons in the visible region:  $Ca^{2+}$  or  $K^+$ ?

**Question 4:** The brilliant colors in fireworks are from the emission of light from ions. Please see the examples at http://scifun.chem.wisc.edu/CHEMWEEK/fireworks/fireworks.htm.

The red in fireworks is often due to the emission of light from  $Sr^{2+}$ . If the primary wavelength is 650 nm, what are the frequency and energy of the light? (Enter your answers in scientific notation. *Note: The values given may be different in the WebAssign question.*)

**Question 5:** From the data collected and the information gained in lecture, would the anion have a dramatic effect on the color of the light emitted? Explain the observations you made during lab that support your answer.

Complete the following table. (Enter absorbance values to three significant figures. If a wavelength has a zero in the one's place, remember to enter a decimal after the zero. For example, an absorbance of 470 should be input as '470.')

Color	Wavelength 1 (nm)	Wavelength 2 (nm)
violet		
blue		
green		
yellow		
orange		
red		

Data Table B: Observed color versus transmittance wavelength

(Enter your absorbance measurements to three significant figures. Remember to add a decimal if the one's place is a zero. For example, an absorbance of 470 should be input as '470.'.)

Sample	Observed Color	Absorbance Maximum (nm)	Color of Absorbance Maximum	Frequency of Absorbance Maximum (s <sup>-1</sup> )
Tartrazine				
Methyl Violet				
Sunset Yellow				
Indigo Carmine				
Allura Red AC				
green food coloring higher nm peak				
green food coloring lower nm peak				

Data T	able C	: Observed	color	versus	absorbance	maximum
--------	--------	------------	-------	--------	------------	---------

The following questions relate to the spectroscopy portion of the experiment. Select the best response based on your results and your knowledge of complimentary colors, frequency, and wavelength.

Question 6a: For each color observed, select the color that is absorbed.

Color Observed	Color Absorbed
orange	
yellow	
red	

Question 6b: How are these colors related?

They are \_\_\_\_\_ colors.

**Question 7:** Which two colors is green food coloring a mixture of? (Select all that apply. *Note: The order of these options may be different in the WebAssign question.*)

- violet
- blue
- yellow
- orange
- $\bullet$  red

**Question 8:** Calculate the frequency of the maximum of the Sunset Yellow sample. Check your calculation with your TA, and then enter the value in Data Table C. Repeat this calculation for the remaining absorbance maximums.

**Question 9a:** Which absorbed color in Data Table C has the shortest wavelength and greatest frequency?

**Question 9b:** Which absorbed color in Data Table C has the longest wavelength and lowest frequency?

Name	Lab Partner	
TA Name	Section	Date

# Solubility Rules Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

Data Tab	le A:	Investiga	ating Tre	ends ir	a Solubility
<b>D</b> 0.000 <b>L</b> 0.00		111,000100	~~~~	orrero rr	1 201010110,

	$\mathrm{NH}_4^{1+}$	K <sup>1+</sup>	$Ca^{2+}$	$\mathrm{Sr}^{2+}$	$Mg^{2+}$	$Al^{3+}$	$\mathrm{Fe}^{3+}$	$Zn^{2+}$
$Cl^{1-}$								
$ClO_4^{1-}$								
OH <sup>1-</sup>								
$CO_3^{2-}$								
$\mathrm{SO}_4^{2-}$								
$PO_4^{3-}$								

Additional Observations:

**Question 1:** In general, are compounds containing ammonium ions or ions from Group 1 on the Periodic Table soluble or insoluble?

Question 2: What exceptions did you find to the Group 1 rule?

Question 3: Are compounds containing an ion with either a +1 or a -1 charge soluble or insoluble?

Question 4: What exceptions did you find to the charge rule?

Question 5: In general, are compounds containing the carbonate anion soluble or insoluble?

Question 6: What exceptions did you find to the carbonate ion rule?

Question 7: In general, are compounds containing the sulfate anion soluble or insoluble?

Question 8: What exceptions did you find to the sulfate ion rule?

Question 9: In general, are compounds containing the phosphate anion soluble or insoluble?

Question 10: What exceptions did you find to the phosphate ion rule?

**Question 11:** Considering the general rules you found for Group 1 ions and phosphate ion, which rule takes precedence?

**Question 12:** State a general rule that relates the solubility of an ionic compound with the charges on the ions of which it is composed.

**Question 13:** In your Data Table A, write the chemical formula for any compound that precipitated. Pay attention to charges on the ions; the number of positive charges in the formula should equal the number of negative charges.

Question 14: Write balanced net ionic equations for reactions that produced a precipitate containing magnesium ion,  $(Mg^{2+})$ .

Data Table B: Investigating Some Exceptions to the Solubility Rules

	$Ag^{1+}$	$Pb^{2+}$
Cl <sup>1-</sup>		

Additional Observations:

Question 15: What exceptions did you observe by mixing  $Ag^{1+}$  with  $Cl^{-}$  and  $Pb^{2+}$  with  $Cl^{-}$ ?

**Question 16:** In your Data Table B, write the chemical formula for any compound that precipitated. Pay attention to charges on the ions; the number of positive charges in the formula should equal the number of negative charges.

**Question 17:** Write balanced net ionic equations for reactions that produced a precipitate in Data Table B.

Name	Lab Partner	
TA Name	Section	Date

# Qualitative Analysis Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

During your lab,  $Ag^+$ ,  $Ba^{2+}$ , and  $Fe^{3+}$  ions were separated by their solubility in the presence of various anions.

# Part A

Complete the following table with your confirmatory test observations from Part A of the Qualitative Analysis lab.

# Data Table A: Confirmatory Tests for Individual Ions

	$\mathrm{Fe}^{3+}$	$\mathrm{Ba}^{2+}$	$\mathrm{Ag}^+$
Reaction with 6 M HCl			
Reaction with 0.05 M NaSCN			
Reaction with 6 M $H_2SO_4$			

Question 1: Which ion(s) precipitate when HCl is added?

Question 2: Which ion(s) precipitate when  $H_2SO_4$  is added?

# Part B

**Question 3a:** Based upon your observations from Part A, which ion(s) precipitate when HCl is added?

Question 3b: Which ion(s) remain in the supernatant?

**Question 4a:** Based upon the solubility rules in the introduction, which ion(s) remaining in the supernatant from step 4 will precipitate in basic solution?

Question 4b: Which ion(s) remain in the supernatant from step 5?

Question 5a: Based upon your observations in Part A and logic, which ion(s) remaining in the supernatant from step 6 will precipitate when  $H_2SO_4$  is added?

Question 5b: Which ion(s) remain in the supernatant from step 7?

**Question 6:** Use the data you have acquired in Parts A and B to complete the flow chart below. It will serve as a reference for identifying the cations in an unknown solution in Part C. (At each branch in the flow chart, you should list the ions that exist as solid compounds on the left, under the label "precipitate #." List ions that exist in solution on the right, under "supernatant." There should be from zero to three entries on each line. At the end, the ions should be separated and each of the three ions should be present at different places on the flow chart.)



Figure 1: Qualitative Separation Scheme and Confirmation of Fe<sup>3+</sup>, Ba<sup>2+</sup>, and Ag<sup>+</sup>

# Part C

**Question 7:** Describe the location of each cation in the separation scheme and the confirmatory test used to confirm the presence of that ion.

**Question 8:** Complete the flow chart below for your unknown solution, identifying which (if any) ions are present at each branch and endpoint in the chart.



Figure 2: Qualitative Separation Scheme Template for Unknown Mixture

**Question 9:** Write the net precipitation reaction that occurs when HCl is added to an aqueous solution containing  $Fe^{3+}$ ,  $Ba^{2+}$ , and  $Ag^+$  ions. (Use the lowest possible coefficients. Include states-of-matter under the given conditions in your answer.)

**Question 10:** Write the net precipitation reaction that occurs when a solution containing  $Fe^{3+}$  and  $Ba^{2+}$  is made basic (contains  $OH^{-}$ ) from the addition of  $NH_3$ . (Use the lowest possible coefficients. Include states-of-matter under the given conditions in your answer.)

Question 11: Write the net precipitation reaction that occurs when  $H_2SO_4$  is added to a solution containing  $Ba^{2+}$ . (Use the lowest possible coefficients. Include states-of-matter under the given conditions in your answer.)

TA Name Section Date

### Molecular Geometry Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

Meleonlea	Bond	Bond Orders	Bond Angles	Hybridization on	Molecular
Molecules	Lengths $(\mathring{A})$		(°)	Central Atom	Shape
NO	NN:	NN:			
N20	NO:	NO:			
SO.	SO:	SO:			
$50_{2}$	SO:	SO:			
	CO:	CO:			
$CH_2O$	CH:	CH:			
	CH:	CH:			
шо	OH:	OH:			
1120	OH:	OH:			
	NH:	NH:			
NH <sub>3</sub>	NH:	NH:			
	NH:	NH:			
	CH:	CH:			
CII	CH:	CH:			
	CH:	CH:			
	CH:	CH:			

 Table A: Exploring Simple Structures

**Question A1:** For each of the six molecules, how did your Lewis structures compare to the molecular models and the models on the computer? Were they the same or different? Explain.

**Question A2:** For each of the six molecules, was your Lewis structure a good and accurate representation of the molecule's actual shape? Explain why or why not.

**Question A3:** Did the model set and computer models help you identify the molecular shape better than the Lewis structures? Do you think models are helpful with 3D visualization?

Question A4: Did you have any other interesting observations? Please elaborate.

Molecules	Bond Lengths	Bond Orders	Hybridization
wolecules	$(\mathring{A})$		on Carbons
$C_2H_6$	CC:	CC:	
$C_2H_4$	CC:	CC:	
$C_2H_2$	CC:	CC:	

Data Table B: Bond Order vs Bond Length

Question B1: What conclusions can you draw about bond order and bond length?

**Question B2:** Looking back at your data in Part A, are all single bonds the same length? Based on these observations, can you make a generalization about the length of all single bonds compared to double bonds or all double bonds compared to triple bonds? What general rule can you make?

Question B3: Did you have any other interesting observations? Please elaborate.

Molecules	Bond Lengths	Bond Orders	Bond Angles	Hybridization
Molecules	Lengths $(\mathring{A})$		(°)	
	CC:	CC:	CCC:	C's:
	CC:	CC:		
С.Ц	CC:	CC:		
С6П6	CC:	CC:		
	CC:	CC:		
	CC:	CC:		
	CO:	CO:	OCO:	C:
$\mathrm{CO}_3^{2-}$	CO:	CO:		
	CO:	CO:		
cov1-	CS:	CS:	SCN:	C:
SUN	CN:	CN:		

Data Table C: Resonance Structures

**Question C1:** Which of the three molecules had resonance structures that were equal? Which did not? Explain.

**Question C2:** How can you confirm that the resonance structures are equal for a molecule? Explain.

**Question C3:** If there was a molecule with unequal resonance structures, which structure is the best according to the computer modeling? Can you tell which structure the computer is displaying? How? Do your observations agree with what you have learned about formal charge?

Question C4: Did you have any other interesting observations? Please elaborate.

Name	Lab Partner	all =
TA Name	Section	Date

# Solid State Modeling Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

Question A1: Looking from above, how much of the atom is inside the shaded region?

**Question A2:** The corner of a cubic unit cell such as this one is *defined by the center (nucleus) of the atom at the corner.* How much of this atom is above the nucleus **and** inside the shaded region (inside the unit cell)?

**Question A3:** How many total atoms are inside the unit cell (defined by the centers of the eight spheres)?

**Question A4:** Using a ruler, measure the length of a side of your unit cell in cm. (Remember, the unit cell is defined by the nuclei of the atoms!) What is the volume of your unit cell?

Question A5: We will define "atom density" for our unit cells as the number of spheres that can pack into a cubic centimeter. What is the "atom density" (spheres/cm<sup>3</sup>) for your simple cubic cell?

**Question A6:** Noting as before that the corner of the unit cell is defined by the nucleus of this atom, how much of this atom is inside the unit cell?

Question A7: Focus on the layer 2 atom. How much of this atom is inside the unit cell?

Question A8: How many total atoms are inside the unit cell?

Question A9: Using a ruler, measure the length of a side for this unit cell. What is the volume  $(in \text{ cm}^3)$  of this unit cell?

Question A10: What is the "atom density" (spheres/cm<sup>3</sup>) for your body centered cubic cell?

### Question A11:

a. Comparing this structure (body centered cubic) to the last structure (simple cubic), which one *appears* to have less void volume?

b. Compare your observation to your calculated "atom densities" for these two structures. Do your calculations confirm your observation?

Question A12: Focus on a layer 2 atom. How much of this atom is inside the unit cell?

Question A13: How many total atoms are inside the unit cell?

Question A14: Using a ruler, measure the length of a side of this unit cell. What is the volume  $(in \text{ cm}^3)$  of this unit cell?

Question A15: What is the "atom density" (in spheres/ $cm^3$ ) for your face centered cell?

### **Question A16:**

a. Comparing this structure (face centered cubic) to the last structure (body centered cubic), which one *appears* to have less void volume?

b. Compare your observation to your calculated "atom densities" for these two structures. Do your calculations confirm your observation?

**Question A17:** Comparing the "atom densities" of all three cubic unit cells, rank them in packing efficiency, with the most efficiently packed cell listed first.

**Question B1:** Focus on *only* the colorless spheres. What type of cubic structure do they appear to be arranged in?

**Question B2:** Focus on *only* the blue spheres. What type of cubic structure do they appear to be arranged in? (You may need to build another set of layers 2 and  $\mathbb{Z}$  to see this.)

#### **Question B3:**

- a. How many colorless spheres are inside the unit cell?
- b. How many blue spheres are inside the unit cell?
- c. What is the ratio of colorless to blue spheres in the unit cell?
- d. What is the chemical formula for sodium chloride?
- e. Do your results in part c reflect the correct stoichiometry in sodium chloride?

f. Based on your knowledge of trends in ionic radii, which spheres represent sodium ions and which represent chloride ions?

#### Question B4:

a. Focus on the central, colorless sphere of layer 1'. How many blue spheres are in contact with it? (You may need to build another set of layers 2 and 2 to see this.) This is its coordination number.

b. Focus on the central, blue sphere of layer  $\mathbb{Z}$ . How many colorless spheres are in contact with it?

**Question B5:** Focus on *only* the colorless spheres. What type of cubic structure do they appear to be arranged in?

#### Question B6:

- a. How many colorless spheres are inside the unit cell?
- b. How many green spheres are inside the unit cell?
- c. What is the ratio of colorless to green spheres in the unit cell?
- d. What is the chemical formula for cesium chloride?
- e. Do your results in part c reflect the correct stoichiometry in cesium chloride?

f. Based on your knowledge of trends in ionic radii, which spheres represent cesium ions and which represent chloride ions?

Question B7: Focus only on the cube made by the 8 green spheres.

- a. What type of cubic structure do the green spheres appear to be arranged in?
- b. What is the ratio of colorless to green spheres?

**Question B8:** Using a ruler, compare the length of the side of a cube with colorless spheres on the corners to one with green spheres.

- a. Do they have the same volume?
- b. Are these both acceptable unit cells for cesium chloride? Why or why not?

#### **Question B9:**

a. Focus on one of the green spheres in layer 2. How many colorless spheres are in contact with it?

b. Focus on the colorless sphere at the center of the green cornered cube. How many green spheres are in contact with it?

#### **Question B10:**

a. Focus on *only* the colorless spheres. What type of cubic structure do they appear to be arranged in?

b. Focus on *only* the green spheres. What type of cubic structure do they appear to be arranged in?

**Question B11:** Putting the two ions together in this arrangement gives the "fluorite" structure. The name is derived from the mineral fluorite, which contains calcium fluoride.

a. How many colorless spheres are inside the unit cell?

- b. How many green spheres are inside the unit cell?
- c. What is the ratio of colorless to green spheres in a unit cell?

- d. What is the chemical formula of calcium fluoride?
- e. Do your results in part c reflect the correct stoichiometry in calcium fluoride?
- f. Which spheres represent calcium ions and which represent fluoride ions?

ame	Lab Partner	
A Name	Section	Date

## Measuring Enthalpy Changes and Gas Laws Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

Data Table	A:	Heat	of	Solution
------------	----	------	----	----------

°C
°C

**Question 1:** For dissolution of  $CaCl_2$ , please answer a - c.

- a. Was heat given off or absorbed? Could you feel it?
- b. Was the process exothermic or endothermic?
- c. Did the entropy increase, decrease, remain the same or can you not tell from your results?

**Question 2:** For dissolution of  $NH_4NO_3$ , please answer a - c.

- a. Was heat given off or absorbed? Could you feel it?
- b. Was the process exothermic or endothermic?
- c. Did the entropy increase, decrease, remain the same or can you not tell from your results?

Question 3: Which chemical would you use in a cold pack,  $CaCl_2$  or  $NH_4NO_3$ ?

### Data Table B: Heat of Reaction

	Temperature	Observations
Initial FeCl <sub>3</sub> solution	°C	
Solution after addition of NaOH	°C	
$\Delta T_{1B}$	°C	

Question 4: For the reaction of  $FeCl_3$  and NaOH, please answer a - d.

- a. What evidence indicates that a reaction occurred?
- b. Did the reaction give off or absorb heat? Could you feel it?
- c. Did the entropy increase, decrease, remain the same or can you not tell from your results?
- d. Was the reaction spontaneous? Justify your answer.

Elapsed time, min	Temperature, °C	Observations	Elapsed time, min	<sup>l</sup> Temperature, °C
0.0			13.0	
0.5			13.5	
1.0			14.0	
1.5			14.5	
2.0			15.0	
2.5			15.5	
3.0			16.0	
3.5			16.5	
4.0			17.0	
4.5			17.5	
5.0			18.0	
5.5			18.5	
6.0			19.0	
6.5			19.5	
7.0			20.0	
7.5			20.5	
8.0			21.0	
8.5			21.5	
9.0			22.0	
9.5			22.5	
10.0			23.0	

|--|

Observations

Elapsed time, min	Temperature, °C	Observations
10.5		
10.0		
11.0		
11.5		
12.0		
12.5		

Elapsed time, min	Temperature, °C	Observations
23.5		
24.0		
24.5		
25.0		

# Question 5:

- a. Were there times when the temperature stayed constant for several readings?
- b. What was happening during these times?

**Question 6:** What happened to the entropy of the system for each of the following processes? Did it increase greatly, increase slightly, decrease greatly, decrease slightly, stay the same or can you not tell from your results?

- a. As the ice melted?
- b. As the water was heated?
- c. As the water boiled?

	60 mL syringe		20 mL syringe
Volume	Pressure	Volume	Pressure
(mL)	(torr)	(mL)	(torr)
0 + 4		0 + 4	
10 + 4		5 + 4	
20 + 4		10 + 4	
30 + 4		15 + 4	
40 + 4		20 + 4	

#### Data Table D: Volume vs. Pressure

#### Question 7:

a. Prepare a graph of the 60-mL syringe data in  $\text{Excel}^{\widehat{\mathbb{R}}}$ , by plotting the volume on the *x*-axis and the pressure on the *y*-axis. Be sure to use proper labeling and include a title. For assistance in the format of a graph, please see "Preparing Graphs" under Lab Safety and Practices in the lab manual. For assistance using  $\text{Excel}^{\widehat{\mathbb{R}}}$ , please consult with your TA. Finally, upload your graphs as an  $\text{Excel}^{\widehat{\mathbb{R}}}$  file with a maximum size of 1 MB. (You will upload this file in the WebAssign question.)

b. When the volume increases, what is the effect on the pressure?

c. When the volume decreases, what is the effect on the pressure?

d. What type of relationship is this between variables?

Name	Lab Partner	
TA Name	Section	Date

# Equilibrium and Le Châtelier's Principle PreLab Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

**Data Table A:** Observations for the Equilibrium:  $\mathrm{Fe}^{3+} + \mathrm{SCN}^- \rightleftharpoons \mathrm{FeSCN}^{2+}$ 

Well #	Stress Applied	Observations Upon Applying Stress
1	None; control for comparison	
2	Add 0.10 M $Fe(NO_3)_3$	
3	Add 0.05 M NaSCN	
4	Add 0.10 M $AgNO_3$	
5	Add $1.0 \text{ M NaNO}_3$	

Question 1: When  $Fe(NO_3)_3$  was added to the system,

- a. Which ion in the equilibrium system caused the "stress"?
- b. Which way did the equilibrium shift?
- c. What happened to the concentration of SCN<sup>-</sup>?
- d. What happened to the concentration of  $FeSCN^{2+}$ ?

Question 2: When NaSCN was added to the system,

a. Which ion in the equilibrium system caused the "stress"?

- b. Which way did the equilibrium shift?
- c. What happened to the concentration of  $Fe^{3+}$ ?
- d. What happened to the concentration of  $FeSCN^{2+}$ ?

Question 3: When AgNO<sub>3</sub> was added to the system, it caused the precipitation of solid AgSCN.

- a. Which ion in the equilibrium had its concentration changed by addition of AgNO<sub>3</sub>?
- b. Did the concentration of that ion increase or decrease?
- c. When  $AgNO_3$  was added, which way did the equilibrium shift?

Question 4: When you added NaNO<sub>3</sub>, did anything happen? Can you explain this result?

Exp't	Stress Applied	Observations Upon Applying Stress
Well 1A	Add 12 M HCl	
Well 1B	Add water	
Well 2A	Add 12 M HCl	
Well 2B	Add 0.10 M AgNO <sub>3</sub>	
Beaker 1	Heat Solution	
Beaker 2	Cool Solution	

**Data Table B:** Observations for the Equilibrium:  $\operatorname{CoCl}_4^{2-} + 6 \operatorname{H}_2O \rightleftharpoons \operatorname{Co}(\operatorname{H}_2O)_6^{2+} + 4 \operatorname{Cl}^{-}$ 

**Question 5:** Adding HCl has the effect of adding  $Cl^{-}$  ions to the system. When  $Cl^{-}$  was added to the system,

- a. Which way did the equilibrium shift?
- b. What happened to the concentration of  $\operatorname{CoCl}_4^{2-}$ ?
- c. What happened to the concentration of  $\text{Co}(\text{H}_2\text{O})_6^{2+}$ ?

Question 6: When water was added to the system,

- a. Which way did the equilibrium shift?
- b. What happened to the concentration of  $\operatorname{CoCl}_4^{2-2}$ ?
- c. What happened to the concentration of  $Co(H_2O)_6^{2+}$ ?

Question 7: When you added AgNO<sub>3</sub>, it caused the precipitation of solid AgCl.

- a. Which ion in the equilibrium had its concentration changed by addition of AgNO<sub>3</sub>?
- b. Did the concentration of that ion increase or decrease?
- c. When AgNO<sub>3</sub> was added, which way did the equilibrium shift?

**Question 8:** State a general rule concerning a system at equilibrium when more of one of the components is added.

**Question 9:** State a general rule concerning a system at equilibrium when one of the components is removed.

Question 10: For the  $\operatorname{CoCl}_4^{2-}$  + 6  $\operatorname{H}_2O \rightleftharpoons \operatorname{Co}(\operatorname{H}_2O)_6^{2+}$  + 4  $\operatorname{Cl}^-$  Equilibrium

- a. Which way did the equilibrium shift upon heating?
- b. Which way did the equilibrium shift upon cooling?

c. A general rule concerning temperature changes to equilibrium systems is that the input of energy (raising the temperature) shifts the equilibrium to the higher energy side of the equilibrium. Based on your observations, which side of the equilibrium is the higher energy side?

d. Is the reaction,  $\text{CoCl}_4^{2-} + 6 \text{ H}_2\text{O} \rightleftharpoons \text{Co}(\text{H}_2\text{O})_6^{2+} + 4 \text{ Cl}^-$  endothermic or exothermic?

Data	Table	C:	Observations	and	Measurements	for	Bromothyme	ol Blue	Equili	ibrium
------	-------	----	--------------	-----	--------------	-----	------------	---------	--------	--------

Buffer pH	Solution Color	Absorbance at $\sim 635$ nm	Absorbance at $\sim 470 \text{ nm}$
6.30			
6.80			
7.30			

**Question 11a:** In the series from pH 6.30 to 6.80 to 7.30, the pH is increasing and the  $[H_3O^+]$  is decreasing. As the  $[H_3O^+]$  decreases, what happens to the concentration of BB<sup>-</sup> at ~635 nm?

Question 11b: Explain how this observation agrees with Le Châtelier's principle.

Question 12a: As the  $[H_3O^+]$  decreases, what happens to the concentration of HBB at ~470 nm?

Question 12b: Explain how this observation agrees with Le Châtelier's principle.

Question 13: What is the equilibrium expression for the reaction under study?

Name	Lab Partner	
TA Name	Section	Date

# **Titrations Worksheet**

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

	Trial 1	Trial 2	Trial 3
	pH probe	indicator	indicator
	endpoint	endpoint	endpoint
Mass of Beaker	g	g	g
Volume of Vinegar	mL	mL	mL
Mass of Beaker + Vinegar	g	g	g
Mass of Vinegar	g	g	g
Concentration of NaOH	M	NA	NA
Initial Buret Reading	mL	mL	mL
Final Buret Reading	mL	mL	mL
Volume of Titrant Added	mL	mL	mL

Question 1: The titration curve of a weak acid like acetic acid with base has a distinctive appearance when the volume of titrant is plotted on the x-axis and the pH is plotted on the y-axis. Select the picture that most closely resembles this graph.



**Question 2:** What is the color of the solution at below pH 8? What is the color of the solution above pH 8? Find pH 8.00 on your titration graph. How close is the amount of titrant at pH 8.00 to the Equivalence Point Buret Reading? Within 0.50 mL? Within 1.00 mL?

**Question 3:** Calculate the number of millimoles of NaOH required to reach the endpoint for each of the three titrations. Show one calculation completely. What is the average? Record the values in Data Table A2.

**Question 4:** How many millimoles of acetic acid are in each vinegar sample? Show one calculation completely. What is the average? Record the values in Data Table A2.

**Question 5:** What is the mass of acetic acid in each vinegar sample? Show one calculation completely. What is the average? Record the values in Data Table A2.

**Question 6:** What is the molarity of acetic acid in each vinegar sample? Show one calculation completely. What is the average? Record the values in Data Table A2.

**Question 7:** What is the mass % of acetic acid in each vinegar sample? Show one calculation completely. What is the average? Record the values in Data Table A2.

**Question 8:** Do you prefer monitoring a titration with a pH probe or an indicator? Explain your choice.

Titration of Vinegar

	Trial 1	Trial 2	Trial 3	
	pH probe	indicator	indicator	Average
	endpoint	endpoint	endpoint	
mmol of NaOH				
mmol of $HC_2H_3O_2$				
Mass of $HC_2H_3O_2$	g	g	g	g
Molarity of $HC_2H_3O_2$ in Vinegar	М	М	М	М
Mass % of $HC_2H_3O_2$ in Vinegar				

Volume NaOH	pH	Observations	Volume NaOH	pН	Observations
added (mL)			added (mL)		

# Data Table B: Volume of Titrant Added to Vinegar vs pH

Name	Lab Partner	
TA Name	Section	Date

# Acid-Base Studies Worksheet

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

Data Table A: pH Measurements of Some Common Acid and Base Solutions.

Solution #	Solution	pН
1	0.10 M HCl	
<b>⊥</b>	0.10 10 1101	
2	0.010 M HCl	
3	0.0010 M HCl	
4	0.10 M HC <sub>2</sub> H <sub>3</sub> O <sub>2</sub>	
5	0.10 M NaOH	
6	0.010 M NaOH	
7	$0.10~{ m M~NH_3}$	

**Question 1:** Based on your observations in Data Table A, classify each of the following as a strong acid, strong base, weak acid or weak base.

a. HCl

b.  $HC_2H_3O_2$ 

 $d. \ NH_3$ 

## Question 2:

a. What happened to the pH when the 0.10 M HCl was diluted to 0.010 M?

b. What happened to the pH when the 0.10 M NaOH was diluted to 0.010 M?

c. NaOH

c. State a general rule about what happens to the pH of acidic or basic solutions when they are diluted with pure water.

Substance	pH	Acid, Base, or Neutral
Vinegar		
Bleach		
Vitamin C		
Lemon Juice		
Baking Soda		
Dishwasher Detergent		
Carbonated Water		
Baking Powder		
Ammmonia		

Data Table B: Acidity and Basicity of Some Household Chemicals

# Question 3:

- a. List all of the household chemicals that you found to be acidic.
- b. List all of the household chemicals that you found to be basic.
- c. List all of the household chemicals that you found to be neutral.

# Data Table C: HCl + NaOH

mL NaOH	pН
0.0	
3.0	
6.0	
12.0	

**Question 4:** Based on your observations in Data Table C, classify each of the resulting solutions as acidic, basic or neutral.

- a. HCl + 0.0 mL NaOH
- b. HCl + 3.0 mL NaOH
- c. HCl + 6.0 mL NaOH
- d. HCl + 12.0 mL NaOH

Name	Lab Partner	
TA Name	Section	Date

## **Redox Reactions Worksheet**

As you work through the steps in the lab procedures, record your experimental values and the results on this worksheet.

Data Table A: Reactions of Oxidizing Agents

	$Cu^{2+}$	$Mg^2+$	${ m MnO_4^{1-}}$
$H_2O_2$			
KI			

Question 1: List the oxidizing agents in order, from weakest to strongest.

**Question 2:** Write half-reactions for the oxidizing agents in order, from weakest to strongest. (*Hint: Remember that oxidizing agents get reduced.*)

Data Table A2: Reactions of Reducing Agents

	Cu	Mg	Zn
$H_2O_2$			
KI			

Question 3: List the reducing agents in order, from strongest to weakest.

**Question 4:** Write the half-reactions for the reducing agents in order, from weakest to strongest. (*Hint: Remember that reducing agents get oxidized.*)

**Question 5:** The strongest oxidizing agent is said to have the most positive potential and the strongest reducing agent has the most negative potential. Based on your observations, list all the half-reactions (as reductions) in order from most negative to most positive.

Question 6: Consider the reaction involving magnesium metal.

a. With what compound, element or ion did magnesium react?

b. Write a half-reaction for what happened to this chemical. You may use a Table of standard Reduction Potentials<sup>1</sup> for help.

c. Write the balanced equation for the reaction that occurred between magnesium metal and this chemical.

Question 7: You also observed a reaction with zinc metal.

a. With what compound, element or ion did zinc react?

<sup>&</sup>lt;sup>1</sup>../tables/tables.pdf

 $<sup>\</sup>textcircled{C}$  2010-2013 Advanced Instructional Systems, Inc. and North Carolina State University

b. Write a half-reaction for what happened to this chemical. You may use a Table of standard Reduction Potentials  $^2$  for help.

c. Write the balanced equation for the reaction that occurred between zinc metal and this chemical.

**Question 8:** Based on your answers to Question 5, will either of these combinations produce a reaction?

a. Cu +  $Mg^{2+}$ 

b.  $Cu^{2+} + Mg$ 

Data Table B1:	Cell Potentials vs	a $Cu^{2+}/C$	Cu Couple
----------------	--------------------	---------------	-----------

Electrochemical Cell	Half-Cell Being Studied	Measured Potential Difference vs $Cu^{2+}/Cu$ in mV	Measured Potential Differences vs $Cu^{2+}/Cu$ in V
Copper-Copper	$Cu^{2+}/Cu$		
Silver-Copper	$Ag^{1+}/Ag$		
Lead - Copper	Pb <sup>2+</sup> /Pb		
Zinc-Copper	$Zn^{2+}/Zn$		

<sup>&</sup>lt;sup>2</sup>../tables.pdf

<sup>© 2010-2013</sup> Advanced Instructional Systems, Inc. and North Carolina State University

Half-Cell	Measured Cell Potential (Most negative to most positive)	Calculated Cell Potential vs SHE (Add +0.34 V)	Standard Reduction Potential vs SHE from table
/	V	V	V
/	V	V	V
/	V	V	V
/	V	V	V

Data Table B2	: Cell Potentials in	Order,	with E	Ialf-Reactions
---------------	----------------------	--------	--------	----------------

Question 9: Based on the order obtained by experiment,

- a. Which species has the highest energy filled or partially filled orbitals?
- b. Which species has the lowest energy unfilled or partially filled orbitals?
- c. Which species is the strongest reducing agent?
- d. Which species is the strongest oxidizing agent?

**Question 10:** Using the order you found in Data Table B2 for the cell potentials, write the half-reaction for each half-cell. Write the reactions as reductions.

**Question 11:** The  $Mg^{2+}/Mg$  couple was not tested when measuring half-cell potentials. Based on its behavior in Part A, where would you place it in Data Table B2? (If you are doing Part B first, return to this question after completing both parts of the lab.